



COHEN, DIPPELL AND EVERIST, P.C. Consulting Engineers Washington, D.C.

EXHIBIT E-3
 COVERAGE CONTOURS
 FOR THE PROPOSED OPERATION OF
WTEN-DT, ALBANY, NEW YORK
 CHANNEL 26 700 KW MAX. ERP 426 METERS HAAT

OCTOBER 2004



MAP SOURCE: TIGER/Line CENSUS FILES 2000



COMPUTED COVERAGE CONTOURS
FOR THE LICENSED OPERATION OF
WTEN(TV), ALBANY, NEW YORK
CHANNEL 10 316 KW 305 METERS HAAT

APRIL 2005

0 10 20 30
Kilometers
0 10 20 30
Miles

TABLE 1
COMPUTED COVERAGE DATA
FOR THE LICENSED OPERATION OF
WTEN(TV), ALBANY, NEW YORK
APRIL 2005

| <u>Radial</u> <u>Bearing</u> N ° E, T | <u>Effective</u> <u>Height</u> meters | <u>Effective</u> <u>Radiated</u> <u>Power</u> kW | <u>Distance to Contour</u> | | |
|---|---|---|--|---------------------------------------|---------------------------------------|
| | | | <u>77 dBu</u> <u>City Grade</u> km | <u>71 dBu</u> <u>Grade A</u> km | <u>56 dBu</u> <u>Grade B</u> km |
| 0 | 441 | 261.68 | 59.7 | 72.2 | 105.7 |
| 10 | 440 | 212.48 | 57.8 | 70.2 | 103.4 |
| 20 | 438 | 187.36 | 56.6 | 68.9 | 101.9 |
| 30 | 439 | 177.75 | 56.2 | 68.5 | 101.5 |
| 40 | 443 | 182.52 | 56.6 | 69.0 | 102.1 |
| 50 | 439 | 177.75 | 56.2 | 68.5 | 101.5 |
| 60 | 447 | 163.81 | 55.9 | 68.2 | 101.3 |
| 70 | 461 | 137.65 | 55.2 | 67.5 | 100.7 |
| 80 | 463 | 106.30 | 53.1 | 65.3 | 98.3 |
| 90 | 459 | 66.87 | 48.9 | 60.9 | 93.4 |
| 100 | 455 | 48.06 | 45.8 | 57.7 | 89.9 |
| 110 | 451 | 40.95 | 44.3 | 56.1 | 88.0 |
| 120 | 432 | 45.63 | 44.1 | 56.0 | 87.5 |
| 130 | 403 | 63.99 | 45.2 | 57.3 | 88.5 |
| 140 | 405 | 113.76 | 50.3 | 62.5 | 94.2 |
| 150 | 326 | 182.52 | 49.3 | 61.2 | 92.2 |
| 160 | 267 | 233.71 | 47.5 | 59.3 | 90.2 |
| 170 | 221 | 273.31 | 45.6 | 57.5 | 88.3 |
| 180 | 202 | 291.23 | 44.7 | 56.6 | 87.2 |
| 190 | 132 | 273.31 | 37.1 | 48.6 | 79.0 |
| 200 | 113 | 217.69 | 33.0 | 44.0 | 73.9 |
| 210 | 81 | 168.40 | 26.4 | 36.3 | 65.6 |
| 220 | 62 | 150.45 | 22.9 | 31.3 | 60.2 |

TABLE 1
COMPUTED COVERAGE DATA
FOR THE LICENSED OPERATION OF
WTEN(TV), ALBANY, NEW YORK
APRIL 2005
 (continued)

| <u>Radial</u> <u>Bearing</u> N ° E, T | <u>Effective</u> <u>Height</u> meters | <u>Effective</u> <u>Radiated</u> <u>Power</u> kW | <u>Distance to Contour</u> | | |
|---|---|---|--|---------------------------------------|---------------------------------------|
| | | | <u>77 dBu</u> <u>City Grade</u> km | <u>71 dBu</u> <u>Grade A</u> km | <u>56 dBu</u> <u>Grade B</u> km |
| 230 | 85 | 150.45 | 26.4 | 36.3 | 65.6 |
| 240 | 101 | 173.04 | 29.7 | 40.4 | 70.0 |
| 250 | 132 | 217.69 | 35.2 | 46.6 | 77.0 |
| 260 | 175 | 255.96 | 41.5 | 53.3 | 83.7 |
| 270 | 178 | 291.23 | 42.8 | 54.7 | 85.1 |
| 280 | 149 | 297.32 | 39.9 | 51.7 | 82.1 |
| 290 | 134 | 285.19 | 37.7 | 49.3 | 79.7 |
| 300 | 134 | 267.46 | 37.2 | 48.7 | 79.2 |
| 310 | 178 | 250.30 | 41.5 | 53.4 | 83.7 |
| 320 | 230 | 261.68 | 45.9 | 57.8 | 88.6 |
| 330 | 270 | 291.23 | 49.6 | 61.4 | 92.6 |
| 340 | 362 | 316.00 | 56.5 | 68.7 | 100.6 |
| 350 | 416 | 303.49 | 59.6 | 72.0 | 105.0 |

Channel 10 (192-198 MHz)
 Center of Radiation 539 meters AMSL
 Antenna Height Above Average Terrain 305 meters
 Maximum Effective Radiated Power 316 kW (25 dBk)

North Latitude: 42° 38' 15"
 West Longitude: 73° 59' 54"

(NAD-27)